Fluid Phase Equilibria, 88 (1993) vii–viii
Elsevier Science Publishers B.V., Amsterdam

CONTENTS

Preface ix

A non-lattice coordination theory of polymer solutions
L.R. Ochs and H. Cabezas, Jr. (Tucson, AZ, USA) 1–12

An extended corresponding states model for predicting thermodynamic properties of the N_2–Ar–O_2 mixture
W.P. Clarke, R.T. Jacobsen, S.W. Beyerlein and S.G. Penoncello (Moscow, ID, USA) 13–24

Equation of state of compressed liquids: statistical-mechanical basis
Y. Song, B. Caswell and E.A. Mason (Providence, RI, USA) 25–34

Rational approximations of fluid properties
D.A. Ray and J.M. Kincaid (Stony Brook, NY, USA) 35–46

Correlation of unusual phase behaviour at elevated pressure
J. Mollerup (Lyngby, Denmark) 47–61

A comparison of many different mixing rules in a cubic equation of state for 1-alkanol + *n*-alkane mixtures
P. Voňka, P. Dittrich (Prague, Czech Republic) and J. Lovland (Trondheim, Norway) 63–78

Simulations of aqueous solutions: the role of flexibility and the treatment of long-range forces
D.E. Smith and A.D.J. Haymet (Sydney, NSW, Australia) 79–87

Molecular dynamics and Lyapunov instability
D.J. Evans (Canberra, A.C.T., Australia) and S. Sarman (Canberra, A.C.T., Australia) 89–98

Non-equilibrium molecular dynamics approach to the rheology of model polymer fluids
J.W. Rudisill and P.T. Cummings (Charlottesville, VA, USA) 99–113

High temperature–high pressure experiments on H_2O–N_2
M.G.E. van Hinsberg, R. Verbrugge and J.A. Schouten (Amsterdam, The Netherlands) 115–121

Radiation calorimeter for heating and cooling ramps used for hysteresis measurements at phase transition
J. Straub, A. Haupt and K. Nitsche (Munich, Germany) 123–135

Precise determination of the compressibility factor by using dielectric constant measurements
J.M. St-Arnaud, T.K. Bose, R. Okambawa, (Trois-Rivières, Que., Canada) and D. Ingrain (La Plaine St-Denis, France) 137–149

A variable-volume apparatus for the measurements of PVTx properties of fluids
J.X. Guo, Z.Y. Zhao, J.M. Yin and L.C. Tan (Xi'an, China) 151–157

Vapor–liquid equilibrium of systems containing perfluoromethylcyclohexane and hydrocarbons
M.G. Bernardo-Gil, M.A. Ribeiro (Lisbon Codex, Portugal) and L.J.S. Soares (Braga Codex, Portugal) 159–170

Enthalpies of water + methanol mixtures between 180 K and 320 K
S.W. Cochran, J.C. Holste, K.N. Marsh, B.E. Gammon and K.R. Hall (College Station, TX, USA) 171–181
Isochoric heat capacity c_v at the critical point of SF_6 under micro- and Earth-gravity—results of the German Spacelab Mission D1
J. Straub and K. Nitsche (Munich, Germany) 183–208
Complex thermal effusivity of glassy polyhydric alcohols
S. Kojima, T. Koketsu, E. Takahashi and M. Kanayasu (Ibaraki, Japan) 209–218
Speed of sound in compressed sulfur hexafluoride
V. Vacek and J.A. Zollweg (Ithaca, NY, USA) 219–226
Sedimentation and Brownian diffusion coefficients of interacting hard spheres
M.A. Al-Naafa and M.S. Selim (Golden, CO, USA) 227–238
Determination of the thermal diffusivity of liquids by laser induced thermal grating
G. Wu, M. Fiebig and J. Wang (Bochum, Germany) 239–249
Measurements of the viscosities of saturated and compressed liquid 1,1,1,2-tetrafluoroethane (R134a), 2,2-dichloro-1,1,1-trifluoroethane (R123) and 1,1-dichloro-1-fluoroethane (R141b)
D.E. Diller, A.S. Aragon and A. Laesecke (Boulder, CO, USA) ... 251–262
Viscosities, electrolytic conductivities, and volumetric properties of $HCl–MCl_x–H_2O$ as a function of temperature up to high molal ionic strengths
T.I. Török (Miskolc-Egyetemváros, Hungary), J.A. Rard and D.G. Miller (Livermore, CA, USA) 263–275
The viscosity of the binary vapor mixtures benzene–toluene and benzene–*p*-xylene and its initial density dependence
E. Vogel (Rostock, Germany) 277–289
A new method for thermal diffusivity and thermal conductivity evaluation from transient hot-strip measurements
Y.W. Song, U. Groß and E. Hahne (Stuttgart, Germany) 291–302

Erratum 303

Author Index 305